

Встраиваемые прямоугольные мармиты MOD100

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: wse@nt-rt.ru || сайт: <https://wells.nt-rt.ru/>



Job _____ Item No. _____

MOD100 Series 12"x20" Single Well, Heavy Duty, Top Mount, Rectangular Drop-In Food Warmers



Model MOD100

DESCRIPTION

Wells heavy-duty, top-mount, drop-in, Modular food warmers are designed to hold heated foods at safe and fresh serving temperatures. Wells MOD100 Series accommodates one 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation.

SPECIFICATIONS

CONSTRUCTION – One-piece stainless steel top flange and heavy-gauge, deep-drawn stainless steel warming pans are standard features on all models. WellsLoks are standard for quick and easy installation.

INSULATION – Sides, front, back and bottom are fully insulated for energy savings, efficiency, quicker pre-heat and faster recovery.

CONTROLS & HEATING – Individual controls for each well provide maximum versatility. Models with thermostatic or infinite controls are available. High-limits prevent overheating. Temperature-ready indicator lights are standard on all control types. Powerful tubular heating elements are located under the warming pans for quick and efficient heating and for even heat distribution.

ADDITIONAL FEATURES AVAILABLE

- ☐ Auto water
- ☐ Select models are field convertible from 3Ø to 1Ø
- ☐ Drains
- ☐ Drains with manifolds
- ☐ Cord & plugs available on thermostatically control models
- ☐ Infinite or thermostatic controls

STANDARD FEATURES

- ☐ Accommodates one 12"x20" standard inset pans or equivalent fractional pans
- ☐ One-piece stainless steel top flange and heavy-gauge, deep drawn stainless steel warming pans
- ☐ Suitable for wet or dry operation (wet recommended for best results)
- ☐ Energy-saving fully-insulated construction
- ☐ Fully insulated models are perfect for non-metal counters
- ☐ Thermostatic or infinite controls
- ☐ Separate controls for each individual wells
- ☐ High limits prevent overheating
- ☐ Thermostatic controls are recessed in a one-piece, drawn, front-mounted panel
- ☐ WellsLock™ standard for ease of installation
- ☐ Powerful tubular heating elements
- ☐ 1/2" drains and manifolds available
- ☐ Cords & plugs available
- ☐ 1-year limited parts & 1-year limited labor warranty
- ☐ Auto fill comes with back flow prevention.

OPTIONS & ACCESSORIES


- ☐ Adaptor tops for round insets
- ☐ Inset with lid
- ☐ 8oz. Soup ladle
- ☐ Drain valve extension kit
- ☐ Drain screens
- ☐ WellsLok extension kits for wood counter installation
- ☐ 6' Cords & plugs are available on all 120V models
- ☐ 6" Cords & plugs are available on all 208/240V models
- ☐ Optional 72" wiring

CERTIFICATIONS





MOD100 Series 12"x20" Single Well, Heavy Duty, Top Mount, Rectangular Drop-In Food Warmers



NOTE: Specifications are subject to change without notice and are not intended for installation purposes. See installation instructions prior to installing the unit.

MOD100TDAF Auto Fill model has a slightly larger top flange at 23-1/4" deep x 14-3/4" wide.

MINIMUM CLEARANCE REQUIRED FROM UNIT TO THE NEAREST SURFACE

BACK	SIDE	BOTTOM	FRONT
1 (25)	1 (25)	6 3/4 (171)	4 1/8 (105)

NOTE: Specifications are subject to change without notice

SPECIFICATIONS

MODEL NUMBER	Description	Volts	Watts Per Well	Phase	Standard Power Cord Supply	Optional Power Cord Supply	OVERALL WIDTH Left to Right Inches (MM)	OVERALL LENGTH Front to Back Inches (MM)	OVERALL HEIGHT Inches (MM)	CONTROL PANEL WIDTH Front to Back Inches (MM)	CONTROL PANEL HEIGHT Left to right Inches (MM)	Shipping Weights Pounds (KG)	Crate Size Cubic Foot (Cubic Meters)	Approvals
MOD100-120	Infinite Controls no Drains	120	1200	1Ø	N/A	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100	Infinite Controls no Drains	208/240	900/1200	1Ø	N/A	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100CSA	Infinite Controls no Drains	120/240	1200	1Ø	N/A	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF CSA
MOD100D-120	Infinite Controls with Drains	120	1200	1Ø	N/A	NEMA 5-15P	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100D	Infinite Controls with Drains	208/240	900/1200	1Ø	N/A	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100T-120	Thermostatic Controls with no Drains	120	1650	1Ø	NONE	NEMA 5-15P	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100T	Thermostatic Controls with no Drains	208/240	1240/1650	1Ø	NONE	NEMA 6-15P	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100T-230	Thermostatic Controls with no Drains	220/240	1650	1Ø	NONE	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	CE
MOD100TD-120	Thermostatic Controls with Drains	120	1650	1Ø	NONE	NEMA 5-15P	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100TD	Thermostatic Controls with Drains	208/240	1240/1650	1Ø	NONE	NEMA 6-15P	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	NSF UL
MOD100TD-230	Thermostatic Controls with Drains	220/240	1650	1Ø	NONE	Not Available	13-3/4 (349)	21-3/4 (552)	9-3/4 (248)	5-7/8 (149)	6-1/4 (159)	24 (10.9)	4.5 (0.128)	CE
MOD100TDAF	Thermostatic Controls with Drains and Auto-Fill	208/240	1240/1650	1Ø	NONE	Not Available	14-3/4 (375)	23-1/2 (597)	9-3/4 (248)	14 (356)	6-1/4 (159)	30 (13.6)	4.5 (0.128)	NSF UL

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: wse@nt-rt.ru || сайт: <https://wells.nt-rt.ru/>